



CIVILIAN





LOOK YOUR BEST
ON THE ROAD

The Nissan Civilian sports a sharp and distinctive profile, while being designed from the ground up for comfort, convenience and safety.

GL



Pictured with optional curtains.



ZD30 engine model

Logically positioned, read-at-a-glance instrumentation is designed to help keep the driver comfortably in command.

The GL boasts a selection of unique features in addition to the equipment introduced with the SX and DX on the following pages.

Equipment

- | | |
|---|--|
| <ul style="list-style-type: none">• Air conditioning system• Fog lamps• Rear window wiper | <ul style="list-style-type: none">• High-back reclining seats with cloth upholstery (all seats)• Windshield with upper tinted glass |
|---|--|



READY TO SHOW YOU THE **HEIGHT OF LUXURY**

With overhead clearance, cabin dimensions and seat size all at or near the top of its class, the Nissan Civilian provides the luxury of space. One of many luxuries, particularly in the top-of-the-line GL model.



READY TO TAKE YOU ON A
GRAND TOUR

A winning selection of features aimed at comfort and convenience makes the SX model a natural choice as a tour bus or for other customer-orientated applications.



High-back seating with cloth upholstery.



High-back seating (std.) is available with your choice of cloth or vinyl upholstery.



TB45E engine model

Equipment	Options
<ul style="list-style-type: none"> • High-back seating (all seats) • Reclining sliding driver's seat • Intermittent 2-speed windshield wipers • Glove box and door pocket • Back-up buzzer • Lamps for interior, luggage compartment and step • Power steering • MW/FM radio with CD and AUX input 	<ul style="list-style-type: none"> • Air conditioning system • Front and rear heaters • Microphone • Automatic folding door





READY TO SERVE
DAY IN AND DAY OUT

Nissan technology means reliability. Reliability that allows the DX model to take on the most demanding daily duties and keep coming back for more.



Low-back seating with vinyl upholstery.

ZD30 engine model

Equipment	Options
<ul style="list-style-type: none"> • Low-back seating (all seats) • Reclining sliding driver's seat • Intermittent 2-speed windshield wipers • Glove box and door pocket • Back-up buzzer • Lamps for interior, luggage compartment and step • Power steering • MW/FM radio with CD and AUX input 	<ul style="list-style-type: none"> • Air conditioning system • Front and rear heaters • Microphone • Automatic folding door • Personal lamp (models with air conditioning system)




COMFORT



Large windshield expands forward visibility.




Spacious driver's area.




Powerful air conditioning system featuring adjustable ceiling-mounted air vents and floor-mounted heaters (optional).



Insulated UV-block glass (optional on all models with air conditioning system) helps improve air conditioning efficiency as well as protecting from harmful ultraviolet rays.



CONVENIENCE



High, wide entrance.



Automatic doors (optional on all models)



The Nissan Civilian facilitates entry/exit with **3-step entry.**



Power steering (standard on all models).



The **luggage compartment** has an interior light and boasts a high-opening lid.

EVERY ROAD MET WITH **POWER AND DURABILITY**

Wherever your destination, the durable Nissan Civilian will get you there — time after time. It has the manoeuvrability you need to navigate city streets as well as the power to cruise comfortably on highways and byways.




TB45E Petrol Engine

- Max. power: 190hp/4400rpm (SAE Gross)
139.7kW/4400rpm (SAE Gross)
- Max. torque: 34.8kg-m/3600rpm (SAE Gross)
341.3Nm/3600rpm (SAE Gross)




ZD30 Diesel Engine

- Max. power: 113hp/3400rpm (SAE Gross)
84kW/3400rpm (SAE Gross)
- Max. torque: 29kg-m/2000rpm (SAE Gross)
284Nm/2000rpm (SAE Gross)



Front Suspension



Rear Suspension

Taper-type leaf spring suspension complements the long wheelbase and wide tread for riding comfort and stability.

Minimum Turning Radius



EVERY FEATURE DESIGNED WITH **OCCUPANTS IN MIND**

Each of the Nissan Civilian's features has its purpose, whether it's easing the work of the driver or providing passengers with a more pleasant, personalised ride.



1 Fine vision meters (GL; Petrol model shown). **2 Glove box** above the audio system. **3 Audio system** includes MW/FM radio, CD and AUX input with 4 speakers. **4 Digital clock** mounted on the ceiling. **5 Folding shift lever improves access and convenience.** **6 Sun visors** for the driver and front passenger. **7 Reclining seats** for driver and passengers (GL). (GL). **8 Windshield with upper tinted glass** (GL). **9 Rear mudguards** (GL; optional SX & DX). **10 Curtains** (optional). **11 Snorkel-type air intake** (optional) protects the engine from dust.

CUSTOM ORDER EQUIPMENT



1 Refrigerator is located behind the front passenger seat. **2 Overhead luggage racks.** **3 Rear swinaging doors** improve access, widening the range of possible applications. **4 A roof rack with ladder** boosts luggage capacity. **5 Tachometer**

SAFETY



Rear window wiper enhances rear visibility (optional).



Safety window improves side visibility.




Halogen headlamps and **fog lamps** (GL) increases nighttime and inclement weather visibility.



Rear-mounted outside mirror improves visibility when reversing.



Reassuring braking performance Improved anti-fade characteristics, long-life brake pads, and better brake pedal response enhance safety and vehicle control.




Anti-lock Braking System (ABS) increases vehicle control and safety in hard panic braking (optional).



Driver's seat.



Front passenger's seat.



Rear passengers' seats.

3-point seat belt for the driver and front passenger, **2-point*** for all other passengers*

*Not including spare seats.



Safety Shield


In the commitment to "Real World Safety", Nissan pursues innovation as part of its Safety Shield concept. Based on the idea that cars should help protect people, advanced, proactive safety technologies help driver and passengers to avoid danger and injury in a wide range of circumstances.

COLOUR


Body colours




KX6
Champagne Silver
(TM)




K33
Blueish Silver (M)



E34
Light Beige (M)



13B
QV1: White
B35: Grayish Blue



QV1 White
(M) Metallic
(TM) Titanium Metallic

Upholstery colours



Suede K: Gray



Tricot K: Gray



Vinyl K: Gray

PEACE OF MIND

OUR PROMISE TO YOU

At Nissan we keep our promises and take care of our family. Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind – for as long as possible.

THIS IS A NISSAN AFTERSALES PROMISE.



NISSAN

AFTERSALES



OUR PROMISE. YOUR EXPERIENCE

DIMENSIONS


Long Body (30 persons)




Standard Body (26 persons)




Custom Order – Seating Arrangements



Long Body for 26 persons



Long Body for 30 persons



Long Body for 30 persons

LEFT HAND DRIVE: NISSAN CIVILIAN SPECIFICATIONS									
GRADE		GL		SX		DX		SX	
Body type		Long		Long		Long		Standard	
Seating capacity		30		30		30		26	
ENGINE & PERFORMANCE									
Engine model		TB45E	ZD30	TB45E	ZD30	TB45E	ZD30	TB45E	ZD30
Engine type		Petrol, 6-cylinder in-line, O.H.V.	Diesel, 4-cylinder in-line	Petrol, 6-cylinder in-line, O.H.V.	Diesel, 4-cylinder in-line	Petrol, 6-cylinder in-line, O.H.V.	Diesel, 4-cylinder in-line	Petrol, 6-cylinder in-line, O.H.V.	Diesel, 4-cylinder in-line
Engine displacement	cc	4169	2953	4169	2953	4169	2953	4169	2953
Maximum power	kw @ rpm	139.7 @ 4400	84 @ 3400	139.7 @ 4400	84 @ 3400	139.7 @ 4400	84 @ 3400	139.7 @ 4400	84 @ 3400
	hp @ rpm	190 @ 4400	113 @ 3400	190 @ 4400	113 @ 3400	190 @ 4400	113 @ 3400	190 @ 4400	113 @ 3400
Maximum torque	Nm @ rpm	341.3 @ 3600	284 @ 2000	341.3 @ 3600	284 @ 2000	341.3 @ 3600	284 @ 2000	341.3 @ 3600	284 @ 2000
	kg-m @ rpm	34.8 @ 3600	29 @ 2000	34.8 @ 3600	29 @ 2000	34.8 @ 3600	29 @ 2000	34.8 @ 3600	29 @ 2000
Fuel type		Petrol	Diesel	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel
Fuel tank capacity	ℓ	107	107	107	107	107	107	107	107
Fuel system		ECCS, electronic fuel injection control	Direct injection, common rail	ECCS, electronic fuel injection control	Direct injection, common rail	ECCS, electronic fuel injection control	Direct injection, common rail	ECCS, electronic fuel injection control	Direct injection, common rail
Bore x stroke	mm	99.5 x 96.0	96.0 x 102.0						
Compression ratio		8.5 to 1	16.9 to 1						
TRANSMISSION									
Type		5MT		5MT		5MT		5MT	
Gear ratios	1st	5.099	5.846	5.099	5.846	5.099	5.846	5.099	5.846
	2nd	2.853	3.061	2.853	3.061	2.853	3.061	2.853	3.061
	3rd	1.588	1.676	1.588	1.676	1.588	1.676	1.588	1.676
	4th	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	5th	0.752	0.781	0.752	0.781	0.752	0.781	0.752	0.781
	Reverse	4.862	5.447	4.862	5.447	4.862	5.447	4.862	5.447
	Final	5.571	6.167	5.571	6.167	5.571	6.167	5.571	6.167
DIMENSIONS									
Overall length	mm	6990		6990		6990		6270	
Overall width	mm	2065 / 2110 (Option: snorkel type air cleaner duct)		2065 / 2110 (Option: snorkel type air cleaner duct)		2065 / 2110 (Option: snorkel type air cleaner duct)		2065 / 2110 (Option: snorkel type air cleaner duct)	
Overall height	mm	2650		2650		2650		2650	
Passenger room length	mm	6280		6280		6280		5560	
Passenger room width	mm	1900		1900		1900		1900	
Passenger room height	mm	1820		1820		1820		1820	
Wheelbase	mm	3690		3690		3690		3310	
Tread: front	mm	1675		1675		1675		1675	
Tread: rear	mm	1490		1490		1490		1490	
Ground clearance	mm	205		205		205		205	
Gross vehicle weight	kg	5930		5930		5930		5930	
Minimum turning circle	m	6.6		6.6		6.6		6.0	
MECHANISM									
Brakes: front		Ventilated discs		Ventilated discs		Ventilated discs		Ventilated discs	
Brakes: rear		Drum, dual 2 leading with auto adjuster		Drum, dual 2 leading with auto adjuster		Drum, dual 2 leading with auto adjuster		Drum, dual 2 leading with auto adjuster	
Suspension: front		Taper type springs with anti-roll bar. Telescopic type shock absorbers		Taper type springs with anti-roll bar. Telescopic type shock absorbers		Taper type springs with anti-roll bar. Telescopic type shock absorbers		Taper type springs with anti-roll bar. Telescopic type shock absorbers	
Suspension: rear		Taper type springs. Telescopic type shock absorbers		Taper type springs. Telescopic type shock absorbers		Taper type springs. Telescopic type shock absorbers		Taper type springs. Telescopic type shock absorbers	
Steering		Recirculating ball type with power steering		Recirculating ball type with power steering		Recirculating ball type with power steering		Recirculating ball type with power steering	
WHEELS/TYRES									
Wheel size		5.50F x 16 steel wheels		5.50F x 16 steel wheels		5.50F x 16 steel wheels		5.50F x 16 steel wheels	
Tyres		750R16		750R16		750R16		750R16	

RIGHT HAND DRIVE: NISSAN CIVILIAN SPECIFICATIONS									
GRADE		GL		SX		DX		SX	
Body type		Long		Long		Long		Standard	
Seating capacity		30		30		30		26	
ENGINE & PERFORMANCE									
Engine model		ZD30		ZD30		ZD30		ZD30	
Engine type		Diesel, 4-cylinder in-line		Diesel, 4-cylinder in-line		Diesel, 4-cylinder in-line		Diesel, 4-cylinder in-line	
Engine displacement	cc	2953		2953		2953		2953	
Maximum power	kw @ rpm	84 @ 3400		84 @ 3400		84 @ 3400		84 @ 3400	
	hp @ rpm	113 @ 3400		113 @ 3400		113 @ 3400		113 @ 3400	
Maximum torque	Nm @ rpm	284 @ 2000		284 @ 2000		284 @ 2000		284 @ 2000	
	kg-m @ rpm	29 @ 2000		29 @ 2000		29 @ 2000		29 @ 2000	
Fuel type		Diesel		Diesel		Diesel		Diesel	
Fuel tank capacity	ℓ	107		107		107		107	
Fuel system		Direct injection, common rail		Direct injection, common rail		Direct injection, common rail		Direct injection, common rail	
Bore x stroke	mm	96.0 x 102.0		96.0 x 102.0		96.0 x 102.0		96.0 x 102.0	
Compression ratio		16.9 to 1		16.9 to 1		16.9 to 1		16.9 to 1	
TRANSMISSION									
Type		5MT		5MT		5MT		5MT	
Gear ratios	1st	5.846		5.846		5.846		5.846	
	2nd	3.061		3.061		3.061		3.061	
	3rd	1.676		1.676		1.676		1.676	
	4th	1.000		1.000		1.000		1.000	
	5th	0.781		0.781		0.781		0.781	
	Reverse	5.447		5.447		5.447		5.447	
Final	6.167		6.167		6.167		6.167		
DIMENSIONS									
Overall length	mm	6990		6990		6990		6270	
Overall width	mm	2065 / 2110 (Option: snorkel type air cleaner duct)		2065 / 2110 (Option: snorkel type air cleaner duct)		2065 / 2110 (Option: snorkel type air cleaner duct)		2065 / 2110 (Option: snorkel type air cleaner duct)	
Overall height	mm	2650		2650		2650		2650	
Passenger room length	mm	6280		6280		6280		5560	
Passenger room width	mm	1900		1900		1900		1900	
Passenger room height	mm	1820		1820		1820		1820	
Wheelbase	mm	3690		3690		3690		3310	
Tread: front	mm	1675		1675		1675		1675	
Tread: rear	mm	1490		1490		1490		1490	
Ground clearance	mm	205		205		205		205	
Gross vehicle weight	kg	5930		5930		5930		5930	
Minimum turning circle	m	6.6		6.6		6.6		6.0	
MECHANISM									
Brakes: front		Ventilated discs		Ventilated discs		Ventilated discs		Ventilated discs	
Brakes: rear		Drum, dual 2 leading with auto adjuster		Drum, dual 2 leading with auto adjuster		Drum, dual 2 leading with auto adjuster		Drum, dual 2 leading with auto adjuster	
Suspension: front		Taper type springs with anti-roll bar. Telescopic type shock absorbers		Taper type springs with anti-roll bar. Telescopic type shock absorbers		Taper type springs with anti-roll bar. Telescopic type shock absorbers		Taper type springs with anti-roll bar. Telescopic type shock absorbers	
Suspension: rear		Taper type springs. Telescopic type shock absorbers		Taper type springs. Telescopic type shock absorbers		Taper type springs. Telescopic type shock absorbers		Taper type springs. Telescopic type shock absorbers	
Steering		Recirculating ball type with power steering		Recirculating ball type with power steering		Recirculating ball type with power steering		Recirculating ball type with power steering	
WHEELS/TYRES									
Wheel size		5.50F x 16 steel wheels		5.50F x 16 steel wheels		5.50F x 16 steel wheels		5.50F x 16 steel wheels	
Tyres		750R16		750R16		750R16		750R16	

LEGAL NOTICE
 Every effort has been made to ensure that the content of this brochure is correct at the time of going to print (January 2017). This brochure has been produced featuring prototype or accessorised vehicles exhibited at motor shows and, in accordance with the company's policy of continuously improving its products, Nissan South Africa reserves the right to change the specification and the vehicles described and shown in this brochure at any time. Nissan Dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan Dealer to receive the most up-to-date information. Due to the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden. Quoted fuel consumption and emission values have been established using the prescribed method of measurement (United Nations Economic Commission for Europe "ECE" Regulation R101 in the current version) as required under current legislation. This data does not pertain to the specific vehicle and does not comprise part of the offer, but is supplied for the purpose of comparison between the various types of vehicles, in accordance with 1999/94/EC. Driving behaviour / conditions and other non-technical factors contribute towards a vehicle's fuel consumption and CO₂ emissions over and above the determined fuel efficiency of a vehicle.

 **Nissan's commitment to the environment**
 Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.

Nissan's commitment to quality: to provide all customers with a consistently high level of quality, Nissan applies the standard worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: 1. The expectation of a smooth driving experience with complete peace of mind. 2. The intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. 3. The level of attentiveness and service during the sales process, and long after the sale is concluded.



Nissan Intelligent Mobility moves you one step ahead. In cars that feel like an extension of you, helping you see more and sense more, reacting with you, and sometimes even for you. Nissan Intelligent Mobility is about a better future – moving us to a world that’s safer, more sustainable, and exciting.

NISSAN
CIVILIAN

NSC STAMP

WWW.NISSANAFRICA.COM | W41201701RLHDE